Mini-math Div 3/4: Wednesday, December 4, 2024 (8.7-8.13) - 20 minutes SOLUTIONS

- 1. In this question, you do not need to simplify your answer. Find an integral (but do not evaluate) that represents the volume of the solid whose base is the region R bounded by y = x/2 and $y = \sqrt{2x}$, if:
 - (a) (2 points) cross-sections perpendicular to the x-axis are rectangles whose heights are twice their base.

Solution:
$$\int_{0}^{8} 2(\sqrt{2x} - x/2)^2 dx$$

(b) (2 points) cross-sections perpendicular to the x-axis are right isosceles triangles whose hypotenuse lies on the base.

Solution:
$$\int_{0}^{8} \frac{1}{4} (\sqrt{2x} - x/2)^2 \, dx$$

(c) (2 points) cross-sections perpendicular to the y-axis are semi-circles.

Solution:

$$\int_0^4 \frac{\pi}{2} \left(\frac{2y - y^2/2}{2}\right)^2 \, dy = \int_0^4 \frac{\pi}{8} \left(2y - y^2/2\right)^2 \, dy$$

(d) (2 points) cross-sections perpendicular to the y-axis are right isosceles triangles whose hypotenuse does not lie on the base.

$$\int_0^4 \frac{1}{2} \left(2y - y^2/2 \right)^2 \, dy$$

- 2. In this question, you do not need to simplify your answer. Consider the region R bounded by y = x/2 and $y = \sqrt{2x}$.
 - (a) Find an integral (but do not evaluate) that represents the volume of the solid of revolution if we revolve the region R:
 - i. (2 points) about the *x*-axis.

Solution:

$$\pi \int_0^8 \left[\sqrt{2x^2} - (x/2)^2 \right] \, dx = \pi \int_0^8 \left(2x - \frac{x^2}{4} \right) \, dx$$

ii. (2 points) about the *y*-axis.

Solution:

Solution:

 $\pi \int_0^4 \left[(2y)^2 - (y^2/2)^2 \right] \, dy$

iii. (2 points) about the line y = -1.

$$\pi \int_0^8 \left[(\sqrt{2x} + 1)^2 - (x/2 + 1)^2 \right] \, dx$$

iv. (2 points) about the line x = 10.

lution:

$$\pi \int_0^4 \left[(10 - y^2/2)^2 - (10 - 2y)^2 \right] \, dy$$

(b) (2 points) Find an integral (but do not evaluate) that represents the perimeter of the region R.

Solution:

So

$$\int_{0}^{8} \sqrt{1 + \left(\frac{1}{2}\right)^{2}} \, dx + \int_{0}^{8} \sqrt{1 + \left(\frac{1}{\sqrt{2x}}\right)^{2}} \, dx \quad \text{or} \quad 4\sqrt{5} + \int_{0}^{8} \sqrt{1 + \left(\frac{1}{\sqrt{2x}}\right)^{2}} \, dx$$